IN THE UNITED STATES PATENT AND TRADEMARK OFFICE 51293 In the Application of: Jürgen RABENHORST Filing Date: Herewith Art Unit: Not Assigned Serial No. New Application Examiner: Not Assigned FOR: FERMENTATION OF MONOVALENT SECONDARY ALCOHOLS IN ORDER TO FORM CORRESPONDING KETONES) **PRELIMINARY AMENDMENT** Commissioner for Patents PO Box 1450 Alexandria, VA 22313-1450 May 26, 2006 Dear Sir:

Before calculating the applicable filing fee, please amend the application as follows:

1. (Currently Amended) Process for converting a monohydric secondary alcohol having 5 or more carbon atoms to the corresponding ketone, comprising oxidation of the converting said alcohol to

form the said ketone by fermenting said alcohol using a bacterium of the Gluconobacter and/or

Acetobacter genus in a fermentation medium.

2. (Currently Amended) Process according to claim 1, characterised in that the fermenting

oxidation is brought about using a bacterium of the Gluconobacter genus.

3. (Currently Amended) Process according to claim 2, characterised in that the fermenting

reaction is brought about using a bacterium of the strain Gluconobacter sp. DSM 12884.

4. (Currently Amended) Process according to <u>claim 1</u> one of the preceding claims, characterised

in that the fermentation medium contains mannitol, malt extract, yeast extract, soya flour, cottonseed

flour, wheat gluten, casein, casein hydrolysate, maize steep liquor, citric acid, acetic acid or mixtures

or several of these constituents and has a pH of 4 to 8 at the start of fermentation.

5. (Currently Amended) Process according to claim 1 one of the preceding claims, characterised

in that before fermentation, the bacterium used for fermentation is precultivated in a cultivation

medium which contains mannitol, malt extract, yeast extract, soya flour, cottonseed flour, wheat

gluten, casein, casein hydrolysate, maize steep liquor, citric acid, acetic acid or mixtures of two or

more of these constituents and has a pH of 4 to 8 at the start of precultivation.

6. (Currently Amended) Process according to <u>claim 1</u> one of the preceding claims, characterised

in that fermentation takes place at a temperature of 20 to 40°C.

7. (Currently Amended) Process according to claim 1 one of the preceding claims, characterised

in that the dissolved oxygen concentration in the fermentation medium is less than or equal to 5%.

2

- 8. (Currently Amended) Process according to <u>claim 1</u> one of the preceding claims, characterised in that in the fermentation 2-pentanol is converted to pentan-2-one, 2-heptanol to heptan-2-one, 2-octanol to octan-2-one, 2-nonanol to nonan-2-one, 1-penten-3-ol to 1-penten-3-one, 1-hexen-3-ol to 1-hexen-3-one, 3-hexanol to hexan-3-one, 3-heptanol to heptan-3-one and/or 3-octanol to octan-3-one.
- 9. (Original) Gluconobacter sp. DSM 12884.
- 10. (Cancelled)

In the Application of:
Jürgen RABENHORST
Serial No.: New Application

REMARKS

The amendments presented herein are intended to remove multiple dependency and clarify the nature of the invention. No new matter is presented.

For the Applicants,

Lance G. Johnson

Registration No. 32,531

Roylance, Abrams, Berdo & Goodman, L.L.P. 1300 19th Street, NW Suite 600 Washington, D.C. 20036-2680 (202) 659-9076